

## **User Manual**

# OriCeII<sup>™</sup> Mouse Adipose-Derived Stem Cell Growth Medium

Cat. No. MUXMD-90011





#### PRODUCT DESCRIPTION:

OriCell<sup>TM</sup> Mouse Adipose-Derived Stem Cell Growth Medium consists of optimized Mouse Adipose-Derived Stem Cell (mADSC) Basal Medium and pre-selected fetal bovine serum. This product has been developed for the optimal proliferation of mouse adipose-derived stem cells (mADSCs), which can be expanded through multiple passages while retaining the ability to differentiate into osteoblasts, adipocytes, and chondrocytes.

The product is intended for laboratory research use only. It is not intended for diagnostic, therapeutic, clinical, household, or any other applications.



*Note*: This medium kit is only for Cyagen's OriCell<sup>TM</sup> Mouse Adipose-Derived Stem Cells (Cat. No. MUBMD-01001). We cannot guarantee the same optimal performance will be observed if the product is used on other mouse adiposederived stem cells.

## KIT COMPONENTS:

Mouse Adipose-Derived Stem Cell (mADSC) Basal Medium (Cat. No. MUXMD-03011)	440 mL
Mouse Adipose-Derived Stem Cell (mADSC)-Qualified Fetal Bovine Serum (Cat. No. MUXMD-05001)	50 mL
Penincillin-Streptomycin	5 mL
Glutamine	5 mL

## **INSTRUCTIONS:**

### **Preparation of the Complete Medium**

1. Prior to use, thaw the mADSC-Qualified Fetal Bovine Serum at 2-8°C overnight or until completely thawed. Gently swirl the bottle to ensure homogeneity. The serum has been heat-inactivated and is ready to use after thawing.



**Note**: The thawed serum may contain some flocculent precipitates. The presence of these substances in serum does not alter the performance characteristics of the product. It is not recommended to filter the serum alone to remove these precipitates. Doing so may result in the loss of some serum nutrients.

- 2. About 30 minutes prior to use, thaw the Penicillin-Streptomycin solution and Glutamine solution at room temperature. Gently swirl the vials to ensure homogeneity.
- 3. Disinfect the external surfaces of the bottles/vials for every component in the kit with 70% v/v ethanol. Allow ethanol to evaporate.
- 4. Aseptically open the bottles/vials inside a laminar flow hood.
- 5. Transfer the entire amount of mADSC-Qualified Fetal Bovine Serum, Penicillin-

IMPI0016A2 MUXMD-90011 Page 2 of 3



Streptomycin solution, and Glutamine solution into the mADSC Basal Medium.

- 6. Rinse each vial with a small amount of basal medium. Subsequently transfer the rinse medium back into the bottle of basal medium.
- 7. Gently swirl the fully supplemented (complete) medium to ensure a homogeneous mixture. The complete medium is now ready to use.



**Note:** Although each component in this kit is supplied sterile, it is strongly recommended to filter the fully supplemented (complete) medium.

## STABILITY AND STORAGE:

All products should be stored in the dark. Mouse Adipose-Derived Stem Cell Basal Medium is stable at 2-8°C for up to one year. Other components are stable at -20°C for up to two years.

These products should be discarded beyond the labeled expiration date. Once prepared, the fully supplemented (complete) medium can be stored for up to one month when stored in the dark at 2-8°C.

For optimal performance, repeated warm-cooling and freeze-thawing should be avoided.

### **QUALITY CONTROL:**

OriCell<sup>™</sup> Mouse Adipose-derived Stem Cell Growth Medium has been tested for performance on mouse adipose-derived stem cells. The standard evaluation includes:

- Sterility test (bacteria, fungi, and mycoplasma)
- pH test
- Osmolality
- Endotoxin

#### **RELATED PRODUCTS:**

Product	Catalog Number
OriCell <sup>™</sup> C57BL/6 Mouse Adipose-Derived Mesenchymal Stem Cells	MUBMD-01001
OriCell <sup>™</sup> C57BL/6 Mouse Adipose-Derived Mesenchymal Stem Cells with GFP	MUBMD-01101

Cyagen Biosciences reserves all rights on the technical documents of its OriCell<sup>™</sup>cell culture products. No part of this document may be reproduced or adapted for other purposes without written permission from Cyagen Biosciences.

IMPI0016A2 MUXMD-90011 Page 3 of 3